INTERNATIONAL JOURNAL OF OPTIMIZATION IN CIVIL ENGINEERING Int. J. Optim. Civil Eng., 2024; 14(4):609-628



# MULTI-MATERIAL OPTIMAL DESIGN OF 3D TRANSMISSION TOWERS USING BLACK HOLE MECHANICS OPTIMIZATION: REAL-SIZE EXAMPLES

P. Salmanpour<sup>\*, †</sup>, A. Deylami, and M. Z. Kabir Department of Civil & Environmental Engineering, Amirkabir University of Technology, Tehran, Iran

# ABSTRACT

The multi-material size optimization of transmission tower trusses is carried out in the present study. Three real-size examples are designed, and statically analyzed, and the Black Hole Mechanics Optimization (BHMO) algorithm, a recently developed metaheuristic optimizer methodology, is employed. The BHMO algorithm's innovative search strategy, which draws inspiration from black hole quantum physics, along with a robust mathematical kernel based on the covariance matrix between variables and their associated costs, efficiently converges to global optimum solutions. Besides, three alloys of steel are taken into account in these examples for discrete size variables, each of which is defined in the problem by a weighted coefficient in terms of the elemental weight. The results also indicate that using multiple materials or alloys in addition to diverse cross-sectional sizes leads to the lowest possible cost and the most efficient solution.

**Keywords:** Transmission Tower Truss, Black Hole Mechanics Optimization, Multi-Material Optimization, Meta-Heuristic Algorithms, Covariance Matrix, 3D Optimization.

Received: 10 November 2024; Accepted: 22 December 2024

# **1. INTRODUCTION**

Transmission towers are indispensable in the industrial landscape, serving as the linchpin for efficient electricity distribution. These structures, often inconspicuous yet vital, facilitate the transfer of power from remote generation plants to urban centers. Their significance lies in

<sup>\*</sup>Corresponding author: Department of Civil & Environmental Engineering, Amirkabir University of Technology, Tehran, Iran

<sup>†</sup>E-mail address: p.salmanpour.k@aut.ac.ir (P. Salmanpour)

forming resilient power grids that withstand adverse weather, ensuring uninterrupted electricity flow. Interconnecting networks, transmission towers allow surplus power transfer between regions, optimizing resource utilization. However, their optimization is imperative. Efficiency improvements and reduced energy losses contribute to sustainability, while costeffective designs and technological advancements enhance the economic viability of power distribution systems. Incorporating smart grid technologies and eco-friendly practices not only improves performance but also minimizes the environmental impact. In essence, the careful optimization of transmission towers is crucial for bolstering the reliability, sustainability, and cost-effectiveness of power distribution networks, thereby shaping the future of industry and society.

The construction of transmission towers, which serve to keep conductors and ground wires, is now regarded as among the most crucial aspects of electrical power line transferring and distribution. In addition to their vital role in community development, their masts are thought to account for 35–45% of the cost of constructing electricity transmission lines [1]. In today's increasingly competitive economic world, possessing an optimal design at the lowest possible cost while providing acceptable performance and satisfying constraints is an integral component of any design [2]. Steel lattice truss transmission towers are typically preferred among concrete, steel polygonal, wood, and hybrid ones with regard to their high strength-to-weight ratio [3]. Truss structures are a broad class encompassing a variety of structure types including bridges, towers, cranes, etc. They are idealized as being simple to analyze and designed to withstand strong axial loads used for a variety of applications. Design variables associated with truss optimization problems include size (choosing the most optimal cross-section), layout (figuring out the optimum geometry), and topology (deciding on the most suitable number of parts) [4].

Numerous gradient-based mathematical approaches have been developed over the past few decades with the aim of solving optimization problems, but not all of them have proven effective for every problem. For instance, gradient-based optimization frameworks need to calculate a great deal of functional gradients in addition to an appropriate starting point. Likewise, the implementation of these methodologies becomes difficult and unstable in optimization problems when the objective function is complicated or contains multiple local optima [5]. Thus, researchers proposed metaheuristic algorithms as an effective alternative to common optimization techniques. These algorithms were inspired by metaphors from physics, mathematical rules, or other natural phenomena, such as swarm intelligence and evolution. Metaheuristic algorithms with repetitive behavior are capable of seeking global or near-global optimal solutions that are appropriate for an engineering design in discontinuous, non-smooth, complex, and NP-complete problems [6]. Hence, metaheuristic algorithms are increasingly gaining popularity in structural optimization applications due to their efficiency, such as their independence from gradient information and adept handling of constraints, as well as their reliability on promising solutions and robust performance in a wide range of applications [7]; as well, numerous metaheuristic algorithms have been developed and examined by scholars due to the no free launch theorem [6-17], which claims that all optimization problems are unable to be solved by a single metaheuristic algorithm [10].

Transmission tower optimization was carried out using such dynamic [18] and non-linear programming [19] before 2000 when gradient-based methodologies were common;

however, this area of study with the aim of weight minimization as a function of the overall cost has been extensively examined over recent years by employing metaheuristic algorithms; for the paradigm, the following algorithms (or modified or hybrid ones)—genetic [1,20–22], simulated annealing [3,23,24], particle swarm optimization [25,26], firefly [9,27], and marine predators [11]—have dealt with transmission tower optimization problems with different kinds of design variables. In the current research, the cross-sectional areas and the materials used in components served as the design variables in a discrete space to optimize the transmission tower real-size examples. The multi-material optimization problems have been the subject of numerous studies in this field of study [9,26,28–31].

Metaheuristic algorithms can be categorized according to their metaphors, as previously mentioned. Genetic algorithms [32], particle swarm optimization [33], ant colony optimization [34], etc. are well developed by taking inspiration from phenomena of nature and animal behaviors such as biological laws and evolution. The principles and characteristics of the covariance matrix are also taken into consideration when developing the CMA-ES [35] and ECM [8], Black Hole Mechanics Optimization (BHMO) [6], and Enriched firefly algorithm [9]. As well, imperialist competitive algorithms [36] and teaching-learning-based optimization [37] have emerged by taking into account social behavior. Physical-based algorithms, such as simulated annealing [38], tabu search [39], harmony search [40], BHMO [6], and others, are one of the categories that interest scholars. The recently developed BMHO algorithm, which has not been used in transmission tower optimization, is chosen as the optimizer algorithm in this study. This algorithm has demonstrated significant outcomes in several kinds of optimization matters [6].

In spite of the considerable attention devoted by researchers to the optimization of transmission towers, the impact of employing multilateral approaches in structural design has not yet been adequately explored. Consequently, this study aims to concurrently examine the influence of material composition and cross-sectional area as design variables within an optimization framework. This approach has been applied to real-size structures, providing a practical example for the industry. The investigation is intended to fill the existing gap in understanding and contribute to the enhancement of transmission tower design methodologies.

The rest of the current study is organized as follows after this introduction. Section 2 presents a definition of the transmission tower metaheuristic-based optimum design. A brief overview of the BHMO algorithm's concept and formulation in section 3. In section 4, three transmission tower is chosen as a numerical example, and the results are given. Concluding remarks are included in section 5.

# **2. PROBLEM DEFINITION**

According to earlier relevant research and using their notation, this section provides an overview introduction to the elements of truss structures in the multi-material size optimization problem [9].

### 2.1. Structural Design

The comprehensive design criteria of the AISC 360-22 code have been incorporated into

the structural design of transmission truss towers. In the following, some assumptions are provided.

# 2.2. Load Cases

Each example affects a single load case that is applied to the top nodes in the direction of x with a 100 kN force. Loads are applied gradually under static loading circumstances.

### 2.3. Structural Analysis

The direct stiffness method of the finite element method is used to perform the analysis of the spatial transmission tower trusses. Meanwhile, the effects of material and geometrical nonlinearity are disregarded; as an outcome, the linear-statical analysis is applicable.

# 2.4. Design Criteria

The AISC 360-22 code conditions must be addressed during the design phase with the aim of regulating elemental compressive and tensile strength. Constraints on active degrees of freedom in terms of displacement are likewise checked to be restricted for each transmission tower truss.

# 2.5. Structural Optimal Design

In this subsection, the optimum design of the transmission tower trusses utilizing metaheuristic algorithms is formulated and the problem is defined. However, within this framework, as previously pointed out, a metaheuristic algorithm seeks a possible superior solution by updating its mechanisms for a defined problem in each iteration to find the optimal solution. The answer for an engineering design is appropriate, even though there is no guarantee that the global optimum will be obtained [2].

### 2.6. Objective Function

The metaheuristic optimizer algorithm, as already mentioned before, addresses the minimization of the total elemental material weight of the transmission tower truss as a function of the overall cost. Thus, the objective function of an optimization problem involving different sizes of cross-sections with multiple materials can be written as Eq. (1):

$$W(x_{Discrete}) = \sum_{i=1}^{NE} \rho_i A_i L_i C_i$$
<sup>(1)</sup>

where  $W(\mathbf{x}_{Discrete})$  denotes the overall weight of the transmission tower truss with NE element number, and  $\rho_i$ ,  $A_i$ ,  $L_i$ , and  $C_i$  are respectively the material density, cross-sectional areas, length, and material alloy cost of the *i*<sup>th</sup> element. It should be pointed out, that the algorithm seeks in a continuous search space; thus, by using Eq. (2) the continuous design vector ( $\mathbf{x}_{Continuous}$ ) can be transformed into a discrete search space ( $\mathbf{x}_{Discrete}$ ) according to [25].

$$x_{Discrete} = floor(x_{Continuous}) \tag{2}$$

### 2.7. Design Variables

The given list of sections includes 200 hole-circular sections with areas ranging from 0.1 cm2 to 20 cm2, with intervals of 0.1 cm2, and with three different types of steel alloys. Therefore, the algorithm chooses intelligently from the 600 sections to use the cross-sectional areas of the list as design variables to decide on the optimum weight. These design variables have been summarized in Table 1.

Table 1: The design variables corresponding with the considered problems

Problem	Material	Cross-Section Area
Transmission Tower 1	$\checkmark$	$\checkmark$
Transmission Tower 2	$\checkmark$	$\checkmark$
Transmission Tower 3	$\checkmark$	$\checkmark$

# 2.8. Constraints Handling

Due to its simple manner of use, the penalty function method has been extensively utilized in the field of structural optimization among the different approaches to handling constraints in an optimization problem [12]; As it turns out, the following describes how the constraints in this study, which are dictated by elemental stress and nodal displacement, got handled (Eq. 3):

$$\sigma_{\min} \leq \sigma_{e} \leq \sigma_{\max} \qquad e = 1, 2, \dots, NE$$
  

$$\delta_{\min} \leq \delta_{d} \leq \delta_{\max} \qquad d = 1, 2, \dots, ND$$
  

$$A_{\min} \leq A_{e} \leq A_{\max} \qquad e = 1, 2, K, NE$$
(3)

where  $\sigma$ ,  $\delta$ , A, and ND represent the elemental stress, nodal displacement, elemental cross-sectional area, and number of active degrees of freedom, respectively, and also, indices *e* and *d* are noted respectively current element and node.

The total violation is applied to the overall weight of the transmission tower truss in Eq. (1) when the criteria in Eq. (3) are violated as Eq. (4):

$$P(x) = (1 + \alpha v)^{\beta} \times W(x)$$
(4)

where P(x) represents the penalized weight of the structure which should be minimized and v is the total violation; it should be noted that  $\alpha$  and  $\beta$  are penalty coefficients set experimentally.

# **3. BLACK HOLE MECHANICS OPTIMIZATION**

The Schwarzschild and Kerr black hole mechanics drawback in 2020 served as the basis for Kaveh et al.'s development of the BHMO algorithm. The BHMO utilizes a potent Kernelbased mathematical technique to evaluate the covariance matrix between each variable and

#### 614 P. Salmanpour, A. Deylami, and M. Z. Kabir

its relative cost with the aim of figuring out the most optimal orientation of variables. This strategy allows variables to be rapidly redirected to prevent trapping in local optima. This algorithm proved beneficial in several domains, including structural optimal design [6] and other areas [16]. In this section, the BHMO methodology and its computational details are briefly discussed in accordance with the developer's paper [6] as follows (for more details, please see the referenced work):

### Step 1: Initialization

The initial variable positions of the BHMO are generated in the search space randomly, like the other metaheuristic algorithms. However, the difference is that the BHMO can direct each variable based on its relative cost directly to the global optima by utilizing the covariance matrix properties. Each particle is considered as a star and defined in a 4D spacetime dimension, with each star's mass being a relative cost function.

# Step 2: Creation of the Kerr Black Hole

In order to determine their relative cost as output and to create the covariance matrix, the objective function one can be evaluated using the input of random initial positions. Each variable must be considered separately in 2D space at the moment in order to compute covariance. At last, the Kerr black hole position can be chosen when data is transformed around a center. It should also be remarked that this phase serves as a global search strategy.

# Step 3: Creation of the Schwarzschild Black Hole

It is necessary for establishing a local search mechanism since the Kerr black hole functions as a global search mechanism. Another benefit is that as the optimal solution is likely to be determined with the least amount of data after transformation, the neighborhood might be considered a key location when seeking the answer. As a result, it qualifies as the Schwarzschild black hole.

# Step 4: Data Elimination

After re-evaluating and sorting the data in each phase, the distant data should be eliminated based on elite selection since the generation of data in each step will lead to a decrease in the algorithm's speed and efficiency.

### Step 5: Termination Criteria

The procedure's termination criteria should be checked at the final stage of the entire procedure. In this work, a predetermined number of function evaluations (NFE) is set up for terminating the procedure when the constraints are not violated by the solution obtained by Eq. (4).

The flowchart of the computational details of the utilized method through this paper is illustrated in Fig. (1).




Figure 1: The computational details of the utilized method through the current paper

# 4. NUMERICAL EXAMPLES

This section features three real-size transmission tower truss examples for examination. The best possible outcome is chosen from 10 independent optimization procedures utilizing an Intel® CoreTM i7 3600u CPU. To model, analyze, and design examples in accordance with AISC 360-22, the SAP2000 has been employed. Following that, the optimization framework is implemented in MATLAB® using the BHMO algorithm. As previously noted, the properties of the three types of steel material's alloy examined in this multi-material size optimization in 200 distinct size sections are tabulated in Table 2; The group design (variables) for each example should be noted as being equal to the number of elements and also to the material effects as an elemental cost coefficient, as shown in Eq. (1) by Ci.

Table 2: The utilized steel alloy	s through the current study.
-----------------------------------	------------------------------

No.	Allov	Elasticity Modulus (GPa)	Density (Kg/m <sup>3</sup> )	Yield	d Stress	Cost
INO.	Alloy	Elasticity Modulus (OFa)	Density (Kg/III <sup>*</sup> )	(MPa)	(ksi)	(Coefficient)
1	S350	210	2768	350	52	0.35
2	S500	210	2768	500	73	0.50
3	S700	210	2768	700	102	0.70

# 4.1. Transmission Tower 1

In Fig. (2), the configuration of the first real-size example of transmission tower trusses is depicted which has 72 nodes and 132 element bars.




Figure 2: The initial configuration of the transmission tower 1: (a) 3D, (b) Front, and (c) Top views

Also, the nodal coordinates and the elemental connectivity of the example 1 tower structures are available in Complementary Tables (Tables C1 and C2).

The history of costs for each independent run is tabulated in Table 3, and Fig. (3) shows the convergence of the best one among the 10 independent runs and Table 4 dedicated how the BHMO algorithm solved the problem. Furthermore, Fig. (4) and (5) shown that the solution obtained without violation in terms of elemental stress and nodal displacement, and finally, Fig. (6) illustrates the schematic of the optimal design of the first example.

_			opt.	mizatio	i proced	ule (Exal	npie I)			
NFE (%)	Run 1	Run 2	Run 3	Run 4	Run 5	Run 6	Run 7	Run 8	Run 9	Run 10
3	225.59	347.10	132.85	529.25	409.56	1219.34	1178.70	631.28	1293.48	1252.72
6	72.56	112.10	90.23	100.16	75.48	115.77	459.87	43.59	195.03	104.50
9	50.68	91.98	60.66	100.16	59.11	99.12	65.41	14.12	78.83	89.19
12	31.77	91.98	36.21	84.87	16.77	19.47	37.69	8.47	36.02	52.89
15	31.77	90.26	36.21	51.24	7.79	18.26	29.69	8.47	24.39	49.12
18	31.77	53.24	35.38	7.63	7.79	12.87	28.65	8.02	10.03	39.79
21	31.77	51.19	16.68	7.63	7.79	10.66	11.81	7.97	9.65	39.79
24	31.77	45.67	12.13	7.63	7.79	8.40	11.81	7.76	8.03	38.89
27	31.77	43.90	11.49	7.63	7.79	8.27	9.46	7.69	7.99	38.89
30	24.97	43.90	11.49	7.63	7.79	8.27	7.32	7.69	7.99	38.89
33	24.97	43.90	11.49	7.63	7.40	8.24	7.32	7.69	7.99	35.52
36	24.97	43.90	9.12	7.63	7.40	8.19	7.32	7.68	7.99	35.52
39	24.97	28.87	9.12	7.63	7.40	8.17	7.30	7.68	7.99	35.52
42	24.97	27.21	9.12	7.63	7.37	8.16	7.30	7.68	7.99	35.52
45	24.97	27.21	9.12	7.63	7.37	8.08	7.27	7.68	7.99	35.52

Table 3: The optimal cost of the structure achieved by BHMO through each independent optimization procedure (Example 1)

48	24.97	27.21	9.12	7.63	7.35	8.00	7.27	7.68	7.99	35.09
51	24.97	26.79	9.12	7.63	7.31	8.00	7.27	7.67	7.99	32.35
54	24.97	15.24	9.12	7.62	7.30	8.00	7.27	7.67	7.99	30.22
57	24.97	15.24	9.12	7.62	7.30	7.99	7.27	7.66	7.99	30.22
60	24.97	15.24	8.37	7.62	7.30	7.99	7.27	7.64	7.99	27.95
63	24.97	15.24	8.37	7.56	7.30	7.99	7.27	7.64	7.99	27.95
66	24.97	15.24	8.37	7.56	7.30	7.99	7.27	7.64	7.96	27.95
70	24.97	15.24	8.37	7.54	7.30	7.99	7.27	7.64	7.94	27.95
75	24.97	15.24	8.37	7.54	7.26	7.99	7.27	7.64	7.91	27.95
80	24.97	15.24	7.96	7.54	7.26	7.98	7.27	7.64	7.91	27.95
85	24.97	15.24	7.96	7.54	7.26	7.98	7.27	7.64	7.91	27.95
90	24.97	15.24	7.96	7.53	7.26	7.98	7.27	7.64	7.91	27.95
95	24.97	15.24	7.96	7.51	7.26	7.98	7.27	7.64	7.91	27.95
98	24.97	15.24	7.96	7.47	7.25	7.98	7.27	7.64	7.90	27.95
100	24.97	15.24	7.96	7.47	7.25	7.98	7.27	7.64	7.90	27.95




Figure 3: The optimized configuration of the transmission tower 1: (a) 3D, (b) Front, and (c) Top views




Figure 4: The optimization procedure of the transmission tower 1




Figure 5: The nodal displacement of the transmission tower




Figure 6: The element stress ratio of the transmission tower 1

Table 4: The optimal of	decision	variables	of the	best solution	(Exam	ple	1
-------------------------	----------	-----------	--------	---------------	-------	-----	---

	Ta	ble 4: T	he optima	al decisio	on variat	oles of the	he best so	olution (I	Example	: 1)	
Element	Radius	Area	Material	Element	Radius	Area	Material	Element	Radius	Area	Material
ID	(cm)	(cm <sup>2</sup> )	Wateriai	ID	(cm)	(cm <sup>2</sup> )	Wateriai	ID	(cm)	$(cm^2)$	Wraterrai
1	9.70	295.59	Grade_2	45	9.80	301.72	Grade_2	89	7.60	181.46	Grade_2
2	9.10	260.16	Grade_2	46	10.60	352.99	Grade_2	90	9.00	254.47	Grade_1
3	9.50	283.53	Grade_1	47	8.40	221.67	Grade_2	91	8.50	226.98	Grade_2
4	11.90	444.88	Grade_1	48	8.20	211.24	Grade_1	92	12.40	483.05	Grade_2
5	4.90	75.43	Grade_2	49	10.40	339.79	Grade_2	93	11.90	444.88	Grade_2
6	12.30	475.29	Grade_3	50	10.30	333.29	Grade_2	94	4.00	50.27	Grade_3
7	10.50	346.36	Grade_2	51	12.80	514.72	Grade_2	95	7.30	167.42	Grade_2
8	7.40	172.03	Grade_2	52	8.40	221.67	Grade_2	96	15.20	725.83	Grade_2
9	9.30	271.72	Grade_2	53	6.70	141.03	Grade_2	97	9.70	295.59	Grade_2
10	11.70	430.05	Grade_2	54	7.50	176.71	Grade_3	98	11.60	422.73	Grade_1
11	10.20	326.85	Grade_2	55	9.40	277.59	Grade_2	99	8.80	243.28	Grade_2
12	9.70	295.59	Grade_2	56	12.60	498.76	Grade_2	100	8.60	232.35	Grade_1
13	10.10	320.47	Grade_2	57	13.60	581.07	Grade_2	101	9.60	289.53	Grade_2
14	7.80	191.13	Grade_2	58	8.70	237.79	Grade_2	102	9.70	295.59	Grade_2
15	13.80	598.28	Grade_2	59	7.80	191.13	Grade_2	103	10.80	366.44	Grade_2

$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Element	Radius	Area	Material	Element	Radius	Area	Material	Element	Radius	Area	Material
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	ID	(cm)	$(cm^2)$	Material	ID	(cm)	$(cm^2)$	Material	ID	(cm)	$(cm^2)$	Material
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	16	9.10	260.16	Grade_2	60	14.60	669.66	Grade_2	104	10.00	314.16	Grade_2
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	17	5.60	98.52	Grade_1	61	15.10	716.31	Grade_2	105	12.70	506.71	Grade_3
20         6.20         120.76         Grade_2         64         10.60         352.99         Grade_1         108         8.70         237.79         Grade_1           21         14.70         678.87         Grade_3         65         5.90         109.36         Grade_2         109         7.20         162.86         Grade_3           22         12.30         475.29         Grade_1         66         10.50         346.36         Grade_2         111         10.40         339.79         Grade_2           23         8.20         211.24         Grade_3         67         8.60         232.35         Grade_2         111         10.40         339.79         Grade_2           25         11.20         394.08         Grade_2         69         10.70         359.68         Grade_2         113         11.00         380.13         Grade_2           26         8.10         206.12         Grade_2         71         12.80         514.72         Grade_2         115         10.10         320.47         Grade_2           29         7.90         196.07         Grade_2         73         7.80         191.13         Grade_2         116         14.10         624.58         Grad	18	6.30	124.69	Grade_2	62	7.60	181.46	Grade_2	106	11.90	444.88	Grade_2
21       14.70       678.87       Grade_3       65       5.90       109.36       Grade_2       109       7.20       162.86       Grade_3         22       12.30       475.29       Grade_1       66       10.50       346.36       Grade_3       110       17.10       918.63       Grade_2         23       8.20       211.24       Grade_1       68       1340       564.10       Grade_2       111       10.40       339.79       Grade_2         25       11.20       394.08       Grade_2       69       10.70       359.68       Grade_2       113       11.00       380.13       Grade_2         26       8.10       206.12       Grade_2       71       12.80       514.72       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       630       124.69       Grade_3         30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       <	19	11.70	430.05	Grade_3	63	6.60	136.85	Grade_2	107	10.00	314.16	Grade_2
22       12.30       475.29       Grade_1       66       10.50       346.36       Grade_3       110       17.10       918.63       Grade_1         23       8.20       211.24       Grade_3       67       8.60       232.35       Grade_1       111       10.40       339.79       Grade_1         24       13.20       547.39       Grade_1       68       13.40       564.10       Grade_1       112       12.40       483.05       Grade_2         25       11.20       394.08       Grade_2       69       10.70       359.68       Grade_1       114       10.50       346.36       Grade_2         26       8.10       206.12       Grade_2       71       12.80       514.72       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       73       7.80       191.13       Grade_2       117       9.10       260.16       Grade_3         30       8.40       221.67       Grade_2       75       6.30       124.69       Grade_2       118       6.50       132.73       Grade_2         31       13.70       589.65       Grade_2       75       6.30       <	20	6.20				10.60		Grade_1	108		237.79	Grade_1
23       8.20       211.24       Grade_3       67       8.60       232.35       Grade_2       111       10.40       339.79       Grade_1         24       13.20       547.39       Grade_1       68       13.40       564.10       Grade_1       112       12.40       483.05       Grade_2         25       11.20       394.08       Grade_2       69       10.70       359.68       Grade_2       113       11.00       380.13       Grade_2         26       8.10       206.12       Grade_2       70       9.60       289.53       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       624.58       Grade_1         30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_2         33       11.70       430.05       Grade_2       77       11.10	21	14.70	678.87	Grade_3	65	5.90	109.36	Grade_2	109	7.20	162.86	Grade_3
24       13.20       547.39       Grade_1       68       13.40       564.10       Grade_1       112       12.40       483.05       Grade_2         25       11.20       394.08       Grade_2       69       10.70       359.68       Grade_2       113       11.00       380.13       Grade_2         26       8.10       206.12       Grade_2       70       9.60       289.53       Grade_1       114       10.50       346.36       Grade_2         28       14.10       624.58       Grade_2       71       12.80       514.72       Grade_2       116       14.10       624.58       Grade_1         29       7.90       196.07       Grade_1       74       11.20       394.08       Grade_2       116       14.10       624.58       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_2         33       11.70       430.05       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         34       14.00       615.75       Grade_2       77       11.10	22	12.30	475.29	Grade_1	66	10.50	346.36	Grade_3	110	17.10	918.63	Grade_2
25       11.20       394.08       Grade_2       69       10.70       359.68       Grade_2       113       11.00       380.13       Grade_2         26       8.10       206.12       Grade_2       70       9.60       289.53       Grade_1       114       10.50       346.36       Grade_1         27       10.00       314.16       Grade_2       71       12.80       514.72       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       624.58       Grade_1         30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_2       120       9.60       289.53       Grade_2         32       10.10       320.47       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2       33       11.70       430.05	23	8.20	211.24	Grade_3	67	8.60	232.35	Grade_2	111	10.40	339.79	Grade_1
26       8.10       206.12       Grade_2       70       9.60       289.53       Grade_1       114       10.50       346.36       Grade_2         27       10.00       314.16       Grade_2       71       12.80       514.72       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       624.58       Grade_2         29       7.90       196.07       Grade_2       73       7.80       191.13       Grade_2       117       9.10       260.16       Grade_1         30       8.40       221.67       Grade_2       75       6.30       124.69       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10 <td< td=""><td>24</td><td>13.20</td><td>547.39</td><td>Grade_1</td><td>68</td><td>13.40</td><td>564.10</td><td>Grade_1</td><td>112</td><td>12.40</td><td>483.05</td><td>Grade_2</td></td<>	24	13.20	547.39	Grade_1	68	13.40	564.10	Grade_1	112	12.40	483.05	Grade_2
27       10.00       314.16       Grade_2       71       12.80       514.72       Grade_2       115       10.10       320.47       Grade_2         28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       624.58       Grade_2         29       7.90       196.07       Grade_1       74       11.20       394.08       Grade_2       117       9.10       260.16       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_2         33       11.70       430.05       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2         34       14.00       615.75       Grade_2       79       12.10       459.96       Grade_2       122       5.40       91.61       Grade_1         35       10.30       333.29       Grade_2       79       12.10       <	25	11.20	394.08	Grade_2	69	10.70	359.68	Grade_2	113	11.00	380.13	Grade_2
28       14.10       624.58       Grade_2       72       12.00       452.39       Grade_2       116       14.10       624.58       Grade_1         29       7.90       196.07       Grade_1       74       11.20       394.08       Grade_2       117       9.10       260.16       Grade_1         30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_3         32       10.10       320.47       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_3       81       8.00       2	26	8.10	206.12	Grade_2	70	9.60	289.53	Grade_1	114	10.50	346.36	Grade_1
29       7.90       196.07       Grade_2       73       7.80       191.13       Grade_2       117       9.10       260.16       Grade_1         30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_2         32       10.10       320.47       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_3         34       14.00       615.75       Grade_2       79       12.10       459.96       Grade_2       122       5.40       91.61       Grade_1         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_3       81       8.00       201.	27	10.00	314.16	Grade_2	71	12.80	514.72	Grade_2	115	10.10	320.47	Grade_2
30       8.40       221.67       Grade_1       74       11.20       394.08       Grade_2       118       6.50       132.73       Grade_3         31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_3         32       10.10       320.47       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2         34       14.00       615.75       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       124       6.40       128.68       Grade_2         37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_1       82       15.50       75	28	14.10	624.58	Grade_2	72	12.00	452.39	Grade_2	116	14.10	624.58	Grade_2
31       13.70       589.65       Grade_2       75       6.30       124.69       Grade_2       119       6.30       124.69       Grade_3         32       10.10       320.47       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2         34       14.00       615.75       Grade_3       78       8.20       211.24       Grade_2       122       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_3       81       8.00       201.06       Grade_2       127       11.00       380.13       Grade_3         39       7.20       162.86       Grade_2       83       10.50       346	29	7.90	196.07	Grade_2	73	7.80	191.13	Grade_2	-	9.10	260.16	Grade_1
32       10.10       320.47       Grade_2       76       16.90       897.27       Grade_2       120       9.60       289.53       Grade_2         33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2         34       14.00       615.75       Grade_3       78       8.20       211.24       Grade_2       122       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       125       9.60       289.53       Grade_1         37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       82       15.50       3		8.40		Grade_1			394.08	Grade_2				Grade_3
33       11.70       430.05       Grade_2       77       11.10       387.08       Grade_2       121       5.40       91.61       Grade_2         34       14.00       615.75       Grade_3       78       8.20       211.24       Grade_2       122       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       124       6.40       128.68       Grade_1         37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_3         38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       127       11.00       380.13       Grade_2         39       7.20       162.86       Grade_1       82       15.50       754.77       Grade_2       128       9.80       301.72       Grade_3         40       15.70       774.37       Grade_1       84       7.40       172	31	13.70	589.65	Grade_2	75	6.30	124.69	Grade_2	119	6.30	124.69	Grade_3
34       14.00       615.75       Grade_3       78       8.20       211.24       Grade_2       122       5.40       91.61       Grade_3         35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       124       6.40       128.68       Grade_1         37       10.80       366.44       Grade_1       82       15.50       754.77       Grade_2       126       8.10       206.12       Grade_3         39       7.20       162.86       Grade_1       82       15.50       754.77       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_2         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       24		10.10							120	9.60	289.53	Grade_2
35       10.30       333.29       Grade_2       79       12.10       459.96       Grade_2       123       3.70       43.01       Grade_1         36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       124       6.40       128.68       Grade_1         37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       126       8.10       206.12       Grade_3         39       7.20       162.86       Grade_2       83       10.50       346.36       Grade_2       128       9.80       301.72       Grade_3         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_2         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_3       130       10.00       314.16       Grade_2         42       14.60       669.66       Grade_2       87       7.70       186				_				_				Grade_2
36       8.30       216.42       Grade_2       80       11.00       380.13       Grade_2       124       6.40       128.68       Grade_1         37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       126       8.10       206.12       Grade_3         39       7.20       162.86       Grade_1       82       15.50       346.36       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_3         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       1		14.00		Grade_3	78	8.20	211.24	Grade_2		5.40		Grade_3
37       10.80       366.44       Grade_3       81       8.00       201.06       Grade_2       125       9.60       289.53       Grade_2         38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       126       8.10       206.12       Grade_3         39       7.20       162.86       Grade_2       83       10.50       346.36       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_3         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       26				_				Grade_2				Grade_1
38       7.60       181.46       Grade_1       82       15.50       754.77       Grade_2       126       8.10       206.12       Grade_3         39       7.20       162.86       Grade_2       83       10.50       346.36       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_3         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         5tructural Cost (Best)       7.2535       Structural Cost (Mean)       12.163       12.16		8.30		Grade_2	80	11.00	380.13	Grade_2	124	6.40	128.68	Grade_1
39       7.20       162.86       Grade_2       83       10.50       346.36       Grade_2       127       11.00       380.13       Grade_2         40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_3         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163       12.163       12.163		10.80	366.44	Grade_3		8.00		Grade_2		9.60	289.53	Grade_2
40       15.70       774.37       Grade_1       84       7.40       172.03       Grade_2       128       9.80       301.72       Grade_3         41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163				Grade_1		15.50	754.77	Grade_2		8.10		Grade_3
41       9.50       283.53       Grade_2       85       8.70       237.79       Grade_1       129       10.70       359.68       Grade_2         42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163				Grade_2		10.50		Grade_2				Grade_2
42       14.60       669.66       Grade_2       86       8.90       248.85       Grade_3       130       10.00       314.16       Grade_2         43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163									-			Grade_3
43       13.30       555.72       Grade_2       87       7.70       186.27       Grade_3       131       8.20       211.24       Grade_2         44       8.60       232.35       Grade_1       88       9.20       265.90       Grade_1       132       5.30       88.25       Grade_2         Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163	41	9.50	283.53	Grade_2		8.70		Grade_1	129	10.70	359.68	Grade_2
44         8.60         232.35         Grade_1         88         9.20         265.90         Grade_1         132         5.30         88.25         Grade_2           Structural Cost (Best)         7.2535         Structural Cost (Mean)         12.163				Grade_2				Grade_3				Grade_2
Structural Cost (Best)       7.2535       Structural Cost (Mean)       12.163							-			Grade_2		
	44	8.60	232.35	Grade_1	88	9.20	265.90	Grade_1	132	5.30	88.25	Grade_2
Structural Cost (Worst) 27.9527 Standard Deviation 7.9349	Structura									12.163		
	Structura	Structural Cost (Worst)					Standar	d Deviation			7.9349	

# 4.2. Transmission Tower 2

A transmission tower truss with 72 elements and 20 nodes is shown in Fig. 7 as the second example.




Figure 7: The initial configuration of the transmission tower 2: (a) 3D, (b) Front, and (c) Top views

As stated before, the optimization process was carried out ten times independently, with the cost of the trusses used in each run being recorded in Table 5. Similar to Example 1, the nodal coordinates and the elemental connectivity of the current example are available as Tables C3 and C4 in Complementary Tables.

Table 5: The optimal cost of the structure achieved by BHMO through each independent optimization procedure (Example 2)

_	NFE (%)	Run 1	Run 2	Run 3	Run 4	Run 5	Run 6	Run 7	Run 8	Run 9	Run 10	
_	3	290.18	341.33	355.74	807.20	454.38	1206.74	465.93	2254.16	1934.03	2951.59	
	6	73.47	273.44	105.70	217.70	322.61	191.78	106.24	706.30	537.79	584.14	
	9	73.47	163.09	105.70	217.70	66.76	183.98	28.14	370.32	450.11	153.73	
	12	36.74	93.24	81.60	81.78	66.76	137.55	10.15	238.65	434.07	146.37	
	15	36.74	92.45	81.60	81.78	40.48	120.36	10.08	67.96	401.20	120.05	
	18	36.74	92.45	81.60	38.66	40.48	88.17	9.65	56.31	401.20	88.36	
	21	36.74	80.51	54.19	38.66	40.48	88.17	9.45	50.92	386.39	88.36	
	24	34.13	80.51	54.19	38.66	40.48	77.63	9.29	38.71	386.39	84.21	
	27	21.88	80.51	54.19	38.66	40.48	55.53	9.07	27.81	386.39	83.13	
	30	21.88	80.51	54.19	33.38	35.33	39.86	9.00	27.40	386.39	80.05	
	33	21.88	80.51	32.93	17.47	34.82	31.74	9.00	24.22	386.39	43.82	
	36	14.98	70.21	32.93	16.40	27.85	22.91	8.93	22.78	381.62	43.82	
	39	14.98	70.21	32.93	15.72	16.95	21.85	8.88	17.26	381.62	43.82	
	42	14.98	41.30	32.93	15.72	16.87	21.85	8.83	15.93	381.62	43.82	
	45	14.98	41.30	32.93	9.41	13.84	21.85	8.82	15.93	381.62	43.82	
	48	14.98	41.30	32.93	9.08	8.97	21.85	8.81	15.88	381.62	43.82	
	51	14.98	41.30	32.93	8.88	8.78	21.85	8.81	15.88	381.62	43.82	
	54	14.98	37.98	17.96	8.88	8.69	21.80	8.81	15.85	345.20	43.82	
	57	14.98	37.98	17.96	8.83	8.65	20.82	8.80	14.06	305.64	43.82	
	60	14.98	36.12	16.10	8.83	8.51	20.30	8.80	14.06	305.64	43.82	
	63	14.98	36.12	15.27	8.83	8.48	19.46	8.80	13.22	303.05	43.82	
	66	14.98	34.83	9.37	8.83	8.45	19.46	8.79	13.17	297.33	43.82	
	70	14.98	34.83	9.37	8.63	8.45	19.46	8.79	13.09	297.33	43.82	
	75	14.98	34.83	9.37	8.63	8.43	19.46	8.78	13.09	297.33	43.82	
	80	14.98	33.46	9.37	8.63	8.42	19.23	8.78	13.09	199.75	43.82	
	85	14.98	24.89	9.37	8.63	8.42	19.22	8.78	13.09	193.93	43.82	
	90	14.98	24.89	9.37	8.63	8.40	19.21	8.77	13.09	193.93	43.82	
	95	9.09	24.89	9.37	8.58	8.40	16.74	8.77	13.09	193.93	43.82	
	98	9.09	24.89	9.34	8.40	8.40	16.74	8.77	13.09	193.93	43.82	
_	100	9.09	24.89	9.34	8.40	8.40	16.74	8.77	13.09	193.93	43.82	
	Structural (	Cost (Best)		8.397			Structural	Cost (Mea	n)	33.648		
_	Structural (	Cost (Worst	t)	193.9303			Standard l	Deviation		57.413		

Following that, the history of the convergence of the most optimal procedure is displayed in Fig. (8), and Table 6 contains the solution of the current example. Finally, Figs. (9) and (10) confirmed that, with regard to elemental stress and nodal stress handling, respectively, the outcome of the procedure is without violation. Additionally, Fig. (11) demonstrates a schematic of a truss in the optimal decision.




Figure 8: The optimized configuration of the transmission tower 2: (a) 3D, (b) Front, and (c) Top views

Table 6: The optimal decision variables of the best solution (Example 2)					
	Table 6: The o	ptimal decision	variables of the	best solution	(Example 2)

Flement ID Radius (cm) Area (cm)					· · · · · · · · · · · · · · · · · · ·	. /	
Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material	Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material
1	14.1	624.58004	Grade_2	37	8.9	248.85	Grade_2
2	11	380.13271	Grade_2	38	9.7	295.59	Grade_2
3	5.9	109.35884	Grade_1	39	11.9	444.88	Grade_2
4	6.4	128.67964	Grade_2	40	7.1	158.37	Grade_2
5	7	153.93804	Grade_2	41	7.4	172.03	Grade_2
6	9.4	277.59113	Grade_2	42	14.8	688.13	Grade_2
7	18.3	1052.088	Grade_2	43	8.7	237.79	Grade_2
8	12.1	459.96058	Grade_2	44	11.1	387.08	Grade_2
9	13.6	581.06898	Grade_1	45	11	380.13	Grade_2
10	12.2	467.59465	Grade_2	46	11.2	394.08	Grade_3
11	10	314.15927	Grade_2	47	9.1	260.16	Grade_1
12	9.3	271.71635	Grade_2	48	13.7	589.65	Grade_2
13	11.7	430.05262	Grade_2	49	12.6	498.76	Grade_2
14	6.6	136.84778	Grade_2	50	11.1	387.08	Grade_2
15	11.2	394.08138	Grade_2	51	12.3	475.29	Grade_2
16	11.9	444.88094	Grade_2	52	7.4	172.03	Grade_2
17	5.9	109.35884	Grade_2	53	15.1	716.31	Grade_2
18	12.1	459.96058	Grade_2	54	8.6	232.35	Grade_2
19	15.3	735.41542	Grade_3	55	10.7	359.68	Grade_3
20	9.5	283.52874	Grade_2	56	7.7	186.27	Grade_2
21	8.7	237.78715	Grade_2	57	11.1	387.08	Grade_3
22	11.6	422.73271	Grade_2	58	9.5	283.53	Grade_3
23	11.6	422.73271	Grade_1	59	13	530.93	Grade_2
24	9.3	271.71635	Grade_2	60	8.7	237.79	Grade_2
25	11.9	444.88094	Grade_2	61	9.7	295.59	Grade_2
26	10.5	346.36059	Grade_3	62	9.1	260.16	Grade_2
27	13.1	539.12872	Grade_2	63	13.6	581.07	Grade_2
28	4.8	72.382295	Grade_2	64	9	254.47	Grade_2
29	12.8	514.71854	Grade_2	65	10.6	352.99	Grade_1
30	11.1	387.07563	Grade_1	66	12.2	467.59	Grade_2
31	12.8	514.71854	Grade_2	67	8.7	237.79	Grade_2
32	11.4	408.28138	Grade_1	68	8.7	237.79	Grade_2
33	11	380.13271	Grade_2	69	7.2	162.86	Grade_2
34	17.7	984.22956	Grade_1	70	6.3	124.69	Grade_2
35	7.8	191.1345	Grade_2	71	8.6	232.35	Grade_2
36	5.8	105.68318	Grade_2	72	11.7	430.05	Grade_2




Figure 9: The optimization procedure of the transmission tower 2




Figure 10: The nodal displacement of the transmission tower 2




Figure 11: The element stress ratio of the transmission tower 2

# 4.3. Transmission Tower 3

The last numerical example is configured in Fig. (12).




Figure 12: The initial configuration of the transmission tower 3: (a) 3D, (b) Front, and (c) Top views

Table 7 presents the cost results of 10 independent runs, including the best, worst, and average costs. Finally, the history of the best procedure's solution among 10 independent runs demonstrated in Fig. (13) as well as the optimal decision for elements is tabulated in Table 8. The handling of constraints on the elemental stress and therefore, nodal displacement, along with the optimum schematic, which are respectively plotted in Figs. (14-16). The details of the nodal coordinate and element connectivity of Example 3 have been incorporated in Complementary Tables (Tables C5 and C6).

Table 7. The optimal cost of the structure achieved by BHMO through each independent optimization procedure (Example 3)

			0	Jumizatio	n procedi	iie (Exaii	lipie 3)			
NFE (%)	Run 1	Run 2	Run 3	Run 4	Run 5	Run 6	Run 7	Run 8	Run 9	Run 10
3	71.32	462.02	734.33	746.15	2048.32	922.12	1772.87	3089.86	891.86	3593.14
6	48.90	271.33	440.71	368.40	562.83	509.44	613.84	907.67	172.43	1204.36
9	48.90	271.33	284.45	147.47	452.63	372.85	613.84	451.75	133.13	633.15
12	48.90	161.49	284.45	110.97	320.28	364.47	546.01	167.87	130.43	625.59
15	48.90	161.49	284.45	97.68	268.13	364.47	384.60	162.76	88.00	536.42
18	48.90	161.49	194.80	35.14	181.56	313.79	355.84	96.77	71.87	494.95
21	48.90	161.49	194.80	30.82	144.91	313.79	99.64	78.93	65.30	482.86
24	48.90	161.49	186.33	15.55	125.98	280.02	81.26	58.39	58.63	460.27
27	48.90	161.49	186.33	14.50	125.98	264.08	55.05	49.75	54.81	460.27
30	48.90	161.49	175.52	14.50	125.98	189.75	44.92	35.28	45.16	460.27
33	48.35	150.40	175.52	14.50	125.98	112.59	35.51	14.67	16.05	446.86
36	48.35	150.40	175.52	7.77	125.98	112.59	33.99	14.55	16.05	446.86
39	48.35	150.40	154.52	7.77	125.98	95.64	33.99	14.45	16.05	445.69
42	37.92	150.40	103.76	7.68	125.98	88.53	33.37	11.20	13.27	445.69
45	37.92	150.40	103.07	7.54	123.38	88.45	32.50	11.20	13.27	424.49
48	29.64	150.40	103.07	7.54	123.38	88.45	32.31	11.20	13.27	414.39
51	29.64	145.21	103.07	7.54	123.38	88.45	32.20	11.19	12.77	396.67
54	29.64	136.89	103.07	7.54	123.38	88.45	29.21	11.17	12.77	396.67
57	27.97	115.99	103.07	7.48	123.38	88.45	27.59	11.17	12.77	396.67
60	27.97	115.99	103.07	7.48	121.73	88.45	27.45	11.17	12.77	396.67

NFE (%)	Run 1	Run 2	Run 3	Run 4	Run 5	Run 6	Run 7	Run 8	Run 9	Run 10
63	27.97	110.06	103.07	7.48	121.73	88.45	27.45	11.17	12.77	396.67
66	27.97	110.06	95.96	7.48	121.73	88.45	27.45	11.17	12.77	396.67
70	27.97	73.89	73.81	7.46	121.73	88.45	27.45	11.17	12.77	396.67
75	27.97	73.89	73.81	7.45	121.73	88.45	27.45	11.17	12.77	396.67
80	27.97	73.89	73.58	7.45	121.73	88.45	27.45	11.17	12.77	396.67
85	23.94	73.89	72.42	7.45	121.73	88.45	27.45	11.17	12.77	396.67
90	23.94	73.89	72.42	7.45	121.73	88.45	27.45	11.17	12.77	396.67
95	22.16	73.89	72.42	7.45	121.73	88.45	27.45	11.17	12.77	396.67
98	22.16	49.81	72.42	7.45	121.73	88.45	27.45	11.17	12.77	396.67
100	9.03	46.59	72.42	7.45	121.73	88.45	27.45	11.17	12.77	396.67
Structural Cost (Best)			7.4483		Structural Cost (Mean)			79.374		
Structural Cost (Worst)			396.67		Standard Deviation			118.13		




Figure 13. The optimized configuration of the transmission tower 3: (a) 3D, (b) Front, and (c) Top views

Table 8. The optimal decision variables of the best solution (Example 3)

Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material	Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material
1	10.90	373.25	Grade_2	41	14.80	688.13	Grade_2
2	4.20	55.42	Grade_1	42	14.50	660.52	Grade_1
3	10.50	346.36	Grade_2	43	9.30	271.72	Grade_1
4	7.00	153.94	Grade_3	44	17.50	962.11	Grade_3
5	12.10	459.96	Grade_2	45	12.40	483.05	Grade_2
6	11.60	422.73	Grade_2	46	12.60	498.76	Grade_2
7	15.30	735.42	Grade_2	47	9.50	283.53	Grade_2
8	11.50	415.48	Grade_2	48	15.40	745.06	Grade_2
9	13.90	606.99	Grade_1	49	13.90	606.99	Grade_2
10	13.10	539.13	Grade_3	50	6.00	113.10	Grade_1
11	9.70	295.59	Grade_2	51	5.10	81.71	Grade_3
12	11.80	437.44	Grade_2	52	12.40	483.05	Grade_2
13	16.40	844.96	Grade_1	53	11.40	408.28	Grade_1
14	9.60	289.53	Grade_2	54	9.30	271.72	Grade_2
15	8.50	226.98	Grade_2	55	12.00	452.39	Grade_2
16	12.10	459.96	Grade_2	56	9.80	301.72	Grade_2
17	7.20	162.86	Grade_2	57	8.10	206.12	Grade_2
18	11.10	387.08	Grade_2	58	6.60	136.85	Grade_2
19	13.60	581.07	Grade_2	59	8.80	243.28	Grade_2
20	8.40	221.67	Grade_2	60	10.00	314.16	Grade_2

Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material	Element ID	Radius (cm)	Area (cm <sup>2</sup> )	Material
21	12.00	452.39	Grade_2	61	10.90	373.25	Grade_2
22	14.20	633.47	Grade_2	62	8.90	248.85	Grade_1
23	15.00	706.86	Grade_2	63	5.60	98.52	Grade_2
24	11.90	444.88	Grade_2	64	12.80	514.72	Grade_2
25	16.50	855.30	Grade_1	65	12.10	459.96	Grade_1
26	5.50	95.03	Grade_1	66	9.40	277.59	Grade_2
27	12.10	459.96	Grade_1	67	14.40	651.44	Grade_2
28	9.70	295.59	Grade_1	68	11.60	422.73	Grade_1
29	10.10	320.47	Grade_2	69	4.50	63.62	Grade_1
30	14.90	697.46	Grade_1	70	6.20	120.76	Grade_2
31	12.10	459.96	Grade_3	71	7.10	158.37	Grade_1
32	6.80	145.27	Grade_3	72	15.60	764.54	Grade_2
33	15.60	764.54	Grade_3	73	11.70	430.05	Grade_1
34	14.50	660.52	Grade_1	74	3.70	43.01	Grade_3
35	10.00	314.16	Grade_2	75	13.10	539.13	Grade_1
36	10.70	359.68	Grade_3	76	12.90	522.79	Grade_1
37	12.00	452.39	Grade_2	77	11.40	408.28	Grade_2
38	18.40	1063.62	Grade_2	78	9.00	254.47	Grade_3
39	14.20	633.47	Grade_1	79	9.30	271.72	Grade_2
40	7.90	196.07	Grade_2	80	8.90	248.85	Grade_2




Figure 14: The optimization procedure of the transmission tower 3




Figure 15: The nodal displacement of the transmission tower 3




Figure 16: The element stress ratio of the transmission tower 3

# **5. CONCLUSION**

In the present research, a multi-material size optimization of transmission tower structures is carried out using the BHMO metaheuristic algorithm. Thus, by taking into account a list of discrete size variables using a trio of kinds of steel material, three real-size instances of transmission truss towers were designed and then optimized. In the first example, characterized by 72 nodes and 132 bar elements and classified as a real-size transmission tower, the proposed algorithm was employed for optimization, resulting in a notable 46 percent reduction in the total structural cost. In the second example, featuring 72 bar elements and 20 nodes, optimization yielded an impressive 64 percent reduction in total structural cost when compared to the initial design. Lastly, the third example, comprising 36 nodes and 80 bar elements and classified as a real-size transmission tower, achieved a substantial 55 percent optimization in total structural cost relative to conventional design specifications. Results demonstrate the effectiveness of the BHMO in addressing this problem. One can design a transmission tower using less costly steel since it not only has a reduced material density but also results in an optimal design that is lighter.

Future research can examine using the BHMO as a reliable optimizer in machine learning algorithms as well as other sorts of optimization problems like frame optimization or reverse optimization problems like damage detection of structures. Additionally, different metaheuristics may be used to optimize the tree in newly designed transformation tower trusses.

### REFERENCES

- 1. Khodzhaiev M., Reuter U. Structural optimization of transmission towers using a novel Genetic Algorithm approach with a variable length genome. *Eng Struct.* 2021; **240**:112306.
- 2. Kaveh A. Advances in Metaheuristic Algorithms for Optimal Design of Structures. Cham: Springer International Publishing; 3<sup>rd</sup> edition, 2021.

- 3. Tort C., Şahin S., Hasançebi O. Optimum design of steel lattice transmission line towers using simulated annealing and PLS-TOWER. *Comput Struct.* 2017; **179**:75–94.
- Kaveh A., Sheikholeslami R., Talatahari S., Keshvari-Ilkhichi M. Chaotic swarming of particles: A new method for size optimization of truss structures. *Adv Eng Softw.* 2014; 67:136–47.
- 5. Adeli H., Cheng N. Integrated Genetic Algorithm for Optimization of Space Structures. *J Aerosp Eng.* 1993. **6**:315–28.
- 6. Kaveh A., Seddighian M. R., Ghanadpour E. Black Hole Mechanics Optimization: a novel meta-heuristic algorithm. *Asian J Civ Eng.* 2020; **21**:1129–49.
- 7. Hasançebi O., Kazemzadeh Azad S. Discrete sizing of steel frames using adaptive dimensional search algorithm. *Period Polytech Civ Eng.* 2019.
- 8. Pouriyanezhad E., Rahami H., Mirhosseini S. M. Truss optimization using eigenvectors of the covariance matrix. *Eng Comput.* 2021; **37**:2207–24.
- Kaveh A., Seddighian M. R. Simultaneously multi-material layout and connectivity optimization of truss structures via an Enriched Firefly Algorithm. *Structures*. 2020; 27:2217–31.
- 10. Awad R. Sizing optimization of truss structures using the political optimizer (PO) algorithm. *Structures*. 2021; **33**:4871–94.
- 11. Bodalal R., Shuaeib F. Marine Predators Algorithm for Sizing Optimization of Truss Structures with Continuous Variables. *Computation*. 2023; **11**:91.
- 12. Kaveh A., Shabani Rad A. Metaheuristic-based optimal design of truss structures using algebraic force method. *Structures*. 2023; **50**:1951–64.
- 13. Moez H., Kaveh A., Taghizadieh N. Natural Forest Regeneration Algorithm for Optimum Design of Truss Structures with Continuous and Discrete Variables. *Period Polytech Civ Eng.* 2016; **60**:257–67.
- 14. Kaveh A., Kabir M. Z., Bohlool M. Optimum design of three-dimensional steel frames with prismatic and non-prismatic elements. *Eng Comput.* 2020; **36**:1011–27.
- 15. Kaveh A., Kabir M. Z., Bohlool M. Optimal design of multi-span pitched roof frames with tapered members. *Period Polytech Civ Eng.* 2018; **63**(1): 77–86.
- 16. Kaveh A., Seddighian M. R. Optimization of slope critical surfaces considering seepage and seismic effects using finite element method and five meta-heuristic algorithms. *Period Polytech Civ Eng.* 2021;65(2): 425–36.
- Kaveh A., Seddighian M. R. A new nodal stress recovery technique in finite element method using colliding bodies optimization algorithm. *Period Polytech Civ Eng.* 2019; 63(4): 1159–70.
- 18. Sheppard D. J., Palmer A. C. Optimal design of transmission towers by dynamic programming. *Comput Struct.* 1972; **2**:455–68.
- 19. Rao G. V. Optimum designs for transmission line towers. *Comput Struct.* 1995; **57**:81–92.
- 20. Kaveh A., Gholipour Y., Rahami H. Optimal design of transmission towers using genetic algorithm and neural networks. *Int J Space Struct.* 2008; **23**:1–19.
- 21. Mathakari S., Gardoni P., Agarwal P., Raich A., Haukaas T. Reliability-based optimal design of electrical transmission towers using multi-objective genetic algorithms. *Comput Aided Civ Infrastruct Eng.* 2007; **22**:282–92.

- 22. Rajeev S., Krishnamoorthy C. S. Discrete optimization of structures using genetic algorithms. *J Struct Eng.* 1992; **118**:1233–50.
- 23. Couceiro I., París J., Martínez S., Colominas I., Navarrina F., Casteleiro M. Structural optimization of lattice steel transmission towers. *Eng Struct.* 2016; **117**:274–86.
- 24. Shea K., Smith I. F. C. Improving Full-Scale Transmission Tower Design through Topology and Shape Optimization. *J Struct Eng.* 2006; **132**:781–90.
- Jafari M., Salajegheh E., Salajegheh J. Optimal design of truss structures using a hybrid method based on particle swarm optimizer and cultural algorithm. *Structures*. 2021; 32:391–405.
- 26. Zhengtong H., Zhengqi G., Xiaokui M., Wanglin C. Multimaterial layout optimization of truss structures via an improved particle swarm optimization algorithm. *Comput Struct.* 2019; **222**:10–24.
- 27. Souza R. R. de, Fadel Miguel L. F., Lopez R. H., Miguel L. F. F., Torii A. J. A procedure for the size, shape, and topology optimization of transmission line tower structures. *Eng Struct.* 2016; **111**:162–84.
- 28. Lu S., Ma H., Xin L., Zuo W. Lightweight design of bus frames from multi-material topology optimization to cross-sectional size optimization. *Eng Optim.* 2019; **51**:961–77.
- 29. Zhang X. S., Paulino G. H., Ramos A. S. Multi-material topology optimization with multiple volume constraints: a general approach applied to ground structures with material nonlinearity. *Struct Multidiscip Optim.* 2018; **57**:161–82.
- 30. Zheng Y., Da D., Li H., Xiao M., Gao L. Robust topology optimization for multimaterial structures under interval uncertainty. *Appl Math Model*. 2020; **78**:627–47.
- Stanković T., Mueller J., Egan P., Shea K. A generalized optimality criteria method for optimization of additively manufactured multimaterial lattice structures. *J Mech Des.* 2015; 137.
- 32. Goldberg D. E. Design of Competent Genetic Algorithms. 2002; pp. 187-216.
- 33. Kennedy J., Eberhart R. Particle swarm optimization. *Proc ICNN Int Conf Neural Netw*. IEEE; pp. 1942–8.
- 34. Dorigo M., Birattari M., Stutzle T. Ant colony optimization. *IEEE Comput Intell Mag.* 2006; **1**:28–39.
- 35. Hansen N. The CMA Evolution Strategy: A Comparing Review. *Toward New Evol Comput.* Berlin, Heidelberg: Springer Berlin Heidelberg; pp. 75–102.
- 36. Atashpaz-Gargari E., Lucas C. Imperialist competitive algorithm: An algorithm for optimization inspired by imperialistic competition. *Proc IEEE Congr Evol Comput.* 2007; pp. 4661–7.
- Rao R. V., Savsani V. J., Vakharia D. P. Teaching–learning-based optimization: A novel method for constrained mechanical design optimization problems. *Comput Aided Des.* 2011; 43:303–15.
- Kirkpatrick S., Gelatt C. D., Vecchi M. P. Optimization by Simulated Annealing. *Science*. 1983; 220:671–80.
- 39. Glover F. Tabu Search—Part I. ORSA J Comput. 1989; 1:190–206.
- 40. Zong Woo Geem, Joong Hoon Kim, Loganathan G. V. A New Heuristic Optimization Algorithm: Harmony Search. *Simul.* 2001; **76**:60–8.